



ASK 61.6




PB_ASK61.6_online-zoom.jpg



TZ_ASK61.6_F_online-zoom.jpg



TZ_ASK61.6_S_online-zoom.jpg



TZ_ASK61.6_T_online-zoom.jpg

Description

Plug-in current transformer for primary nominal currents from 100 A up to 1600 A, secondary nominal current 5 A or 1 A (optional 2 A), accuracy class 0.5 and 1 (optional in class 0.2 and 0.5s).

Technical Data

- Therm. nominal continuous current I_{cth} : $1,0 \times I_N$
- Therm. nominal short-time current I_{th} : $60 \times I_N$, 1 sec.
- Max. operating voltage U_m : 0.72 kV
- Isolation test voltage: 3 kV, U_{eff} , 50 Hz, 1 min.
- Nominal rated frequency: 50...60 Hz
- Isolation class: E
- Bus bar 1: 60 x 10 mm
- Bus bar 2: 50 x 30 mm
- Round conductor: 40 mm
- Width: 95 mm
- Height: 116 mm
- Depth: 74 mm

type description	type name	type number	primary current	secondary current	VA	accuracy
ASK 61.6 100/5A 1,5VA Kl.1	ASK	61.6	100	5	1,5	1
ASK 61.6 100/5A 2,5VA Kl.1	ASK	61.6	100	5	2,5	1
ASK 61.6 150/5A 1,5VA Kl.1	ASK	61.6	150	5	1,5	1
ASK 61.6 150/5A 2,5VA Kl.1	ASK	61.6	150	5	2,5	1

ASK 61.6 200/5A	ASK	61.6	200	5	2,5	1
2,5VA Kl.1						
ASK 61.6 200/5A	ASK	61.6	200	5	5	1
5VA Kl.1						
ASK 61.6 200/5A	ASK	61.6	200	5	10	1
10VA Kl.1						
ASK 61.6 250/5A	ASK	61.6	250	5	2,5	1
2,5VA Kl.1						
ASK 61.6 250/5A	ASK	61.6	250	5	5	1
5VA Kl.1						
ASK 61.6 250/5A	ASK	61.6	250	5	10	1
10VA Kl.1						
ASK 61.6 250/5A	ASK	61.6	250	5	15	1
15VA Kl.1						
ASK 61.6 300/5A	ASK	61.6	300	5	2,5	1
2,5VA Kl.1						
ASK 61.6 300/5A	ASK	61.6	300	5	5	1
5VA Kl.1						
ASK 61.6 300/5A	ASK	61.6	300	5	10	1
10VA Kl.1						
ASK 61.6 300/5A	ASK	61.6	300	5	15	1
15VA Kl.1						
ASK 61.6 400/5A	ASK	61.6	400	5	2,5	1
2,5VA Kl.1						
ASK 61.6 400/5A	ASK	61.6	400	5	5	1
5VA Kl.1						
ASK 61.6 400/5A	ASK	61.6	400	5	10	1
10VA Kl.1						
ASK 61.6 400/5A	ASK	61.6	400	5	15	1
15VA Kl.1						
ASK 61.6 400/5A	ASK	61.6	400	5	30	1
30VA Kl.1						
ASK 61.6 500/5A	ASK	61.6	500	5	2,5	1
2,5VA Kl.1						
ASK 61.6 500/5A	ASK	61.6	500	5	5	1
5VA Kl.1						
ASK 61.6 500/5A	ASK	61.6	500	5	10	1
10VA Kl.1						
ASK 61.6 500/5A	ASK	61.6	500	5	15	1
15VA Kl.1						
ASK 61.6 500/5A	ASK	61.6	500	5	30	1
30VA Kl.1						

ASK 61.6 600/5A ASK	61.6	600	5	2,5	1
2,5VA Kl.1					
ASK 61.6 600/5A ASK	61.6	600	5	5	1
5VA Kl.1					
ASK 61.6 600/5A ASK	61.6	600	5	10	1
10VA Kl.1					
ASK 61.6 600/5A ASK	61.6	600	5	15	1
15VA Kl.1					
ASK 61.6 600/5A ASK	61.6	600	5	30	1
30VA Kl.1					
ASK 61.6 750/5A ASK	61.6	750	5	2,5	1
2,5VA Kl.1					
ASK 61.6 750/5A ASK	61.6	750	5	5	1
5VA Kl.1					
ASK 61.6 750/5A ASK	61.6	750	5	10	1
10VA Kl.1					
ASK 61.6 750/5A ASK	61.6	750	5	15	1
15VA Kl.1					
ASK 61.6 750/5A ASK	61.6	750	5	30	1
30VA Kl.1					
ASK 61.6 800/5A ASK	61.6	800	5	5	1
5VA Kl.1					
ASK 61.6 800/5A ASK	61.6	800	5	10	1
10VA Kl.1					
ASK 61.6 800/5A ASK	61.6	800	5	15	1
15VA Kl.1					
ASK 61.6 800/5A ASK	61.6	800	5	30	1
30VA Kl.1					
ASK 61.6 1000/5A ASK	61.6	1000	5	5	1
5VA Kl.1					
ASK 61.6 1000/5A ASK	61.6	1000	5	10	1
10VA Kl.1					
ASK 61.6 1000/5A ASK	61.6	1000	5	15	1
15VA Kl.1					
ASK 61.6 1000/5A ASK	61.6	1000	5	30	1
30VA Kl.1					
ASK 61.6 1000/5A ASK	61.6	1000	5	45	1
45VA Kl.1					
ASK 61.6 1200/5A ASK	61.6	1200	5	5	1
5VA Kl.1					
ASK 61.6 1200/5A ASK	61.6	1200	5	10	1
10VA Kl.1					

ASK 61.6 1200/5A ASK 15VA Kl.1	61.6	1200	5	15	1
ASK 61.6 1200/5A ASK 30VA Kl.1	61.6	1200	5	30	1
ASK 61.6 1200/5A ASK 45VA Kl.1	61.6	1200	5	45	1
ASK 61.6 1250/5A ASK 5VA Kl.1	61.6	1250	5	5	1
ASK 61.6 1250/5A ASK 10VA Kl.1	61.6	1250	5	10	1
ASK 61.6 1250/5A ASK 15VA Kl.1	61.6	1250	5	15	1
ASK 61.6 1250/5A ASK 30VA Kl.1	61.6	1250	5	30	1
ASK 61.6 1250/5A ASK 45VA Kl.1	61.6	1250	5	45	1
ASK 61.6 1500/5A ASK 5VA Kl.1	61.6	1500	5	5	1
ASK 61.6 1500/5A ASK 10VA Kl.1	61.6	1500	5	10	1
ASK 61.6 1500/5A ASK 15VA Kl.1	61.6	1500	5	15	1
ASK 61.6 1500/5A ASK 30VA Kl.1	61.6	1500	5	30	1
ASK 61.6 1500/5A ASK 45VA Kl.1	61.6	1500	5	45	1
ASK 61.6 100/1A ASK 1,5VA Kl.1	61.6	100	1	1,5	1
ASK 61.6 100/1A ASK 2,5VA Kl.1	61.6	100	1	2,5	1
ASK 61.6 150/1A ASK 1,5VA Kl.1	61.6	150	1	1,5	1
ASK 61.6 150/1A ASK 2,5VA Kl.1	61.6	150	1	2,5	1
ASK 61.6 200/1A ASK 2,5VA Kl.1	61.6	200	1	2,5	1
ASK 61.6 200/1A ASK 5VA Kl.1	61.6	200	1	5	1
ASK 61.6 200/1A ASK 10VA Kl.1	61.6	200	1	10	1
ASK 61.6 250/1A ASK 2,5VA Kl.1	61.6	250	1	2,5	1

ASK 61.6 250/1A	ASK	61.6	250	1	5	1
5VA Kl.1						
ASK 61.6 250/1A	ASK	61.6	250	1	10	1
10VA Kl.1						
ASK 61.6 250/1A	ASK	61.6	250	1	15	1
15VA Kl.1						
ASK 61.6 300/1A	ASK	61.6	300	1	2,5	1
2,5VA Kl.1						
ASK 61.6 300/1A	ASK	61.6	300	1	5	1
5VA Kl.1						
ASK 61.6 300/1A	ASK	61.6	300	1	10	1
10VA Kl.1						
ASK 61.6 300/1A	ASK	61.6	300	1	15	1
15VA Kl.1						
ASK 61.6 400/1A	ASK	61.6	400	1	2,5	1
2,5VA Kl.1						
ASK 61.6 400/1A	ASK	61.6	400	1	5	1
5VA Kl.1						
ASK 61.6 400/1A	ASK	61.6	400	1	10	1
10VA Kl.1						
ASK 61.6 400/1A	ASK	61.6	400	1	15	1
15VA Kl.1						
ASK 61.6 400/1A	ASK	61.6	400	1	30	1
30VA Kl.1						
ASK 61.6 500/1A	ASK	61.6	500	1	2,5	1
2,5VA Kl.1						
ASK 61.6 500/1A	ASK	61.6	500	1	5	1
5VA Kl.1						
ASK 61.6 500/1A	ASK	61.6	500	1	10	1
10VA Kl.1						
ASK 61.6 500/1A	ASK	61.6	500	1	15	1
15VA Kl.1						
ASK 61.6 500/1A	ASK	61.6	500	1	30	1
30VA Kl.1						
ASK 61.6 600/1A	ASK	61.6	600	1	2,5	1
2,5VA Kl.1						
ASK 61.6 600/1A	ASK	61.6	600	1	5	1
5VA Kl.1						
ASK 61.6 600/1A	ASK	61.6	600	1	10	1
10VA Kl.1						
ASK 61.6 600/1A	ASK	61.6	600	1	15	1
15VA Kl.1						

ASK 61.6 600/1A ASK	61.6	600	1	30	1
30VA Kl.1					
ASK 61.6 750/1A ASK	61.6	750	1	2,5	1
2,5VA Kl.1					
ASK 61.6 750/1A ASK	61.6	750	1	5	1
5VA Kl.1					
ASK 61.6 750/1A ASK	61.6	750	1	10	1
10VA Kl.1					
ASK 61.6 750/1A ASK	61.6	750	1	15	1
15VA Kl.1					
ASK 61.6 750/1A ASK	61.6	750	1	30	1
30VA Kl.1					
ASK 61.6 800/1A ASK	61.6	800	1	5	1
5VA Kl.1					
ASK 61.6 800/1A ASK	61.6	800	1	10	1
10VA Kl.1					
ASK 61.6 800/1A ASK	61.6	800	1	15	1
15VA Kl.1					
ASK 61.6 800/1A ASK	61.6	800	1	30	1
30VA Kl.1					
ASK 61.6 1000/1A ASK	61.6	1000	1	5	1
5VA Kl.1					
ASK 61.6 1000/1A ASK	61.6	1000	1	10	1
10VA Kl.1					
ASK 61.6 1000/1A ASK	61.6	1000	1	15	1
15VA Kl.1					
ASK 61.6 1000/1A ASK	61.6	1000	1	30	1
30VA Kl.1					
ASK 61.6 1000/1A ASK	61.6	1000	1	45	1
45VA Kl.1					
ASK 61.6 1200/1A ASK	61.6	1200	1	5	1
5VA Kl.1					
ASK 61.6 1200/1A ASK	61.6	1200	1	10	1
10VA Kl.1					
ASK 61.6 1200/1A ASK	61.6	1200	1	15	1
15VA Kl.1					
ASK 61.6 1200/1A ASK	61.6	1200	1	30	1
30VA Kl.1					
ASK 61.6 1200/1A ASK	61.6	1200	1	45	1
45VA Kl.1					
ASK 61.6 1250/1A ASK	61.6	1250	1	5	1
5VA Kl.1					

ASK 61.6 1250/1A ASK 10VA KI.1	61.6	1250	1	10	1
ASK 61.6 1250/1A ASK 15VA KI.1	61.6	1250	1	15	1
ASK 61.6 1250/1A ASK 30VA KI.1	61.6	1250	1	30	1
ASK 61.6 1250/1A ASK 45VA KI.1	61.6	1250	1	45	1
ASK 61.6 1500/1A ASK 5VA KI.1	61.6	1500	1	5	1
ASK 61.6 1500/1A ASK 10VA KI.1	61.6	1500	1	10	1
ASK 61.6 1500/1A ASK 15VA KI.1	61.6	1500	1	15	1
ASK 61.6 1500/1A ASK 30VA KI.1	61.6	1500	1	30	1
ASK 61.6 1500/1A ASK 45VA KI.1	61.6	1500	1	45	1