



## CTB 61.35




PB\_CTB61.35\_online-zoom.jpg



Federklemme.jpg



TZ\_CTB61.35\_T\_online-zoom.jpg



TZ\_CTB61.35\_S\_online-zoom.jpg

tz\_ctb61.35\_f\_online-zoom.jpg

### Description

Plug-in current transformer for primary nominal currents from 50 A up to 750 A, secondary nominal current 5 A or 1 A (optional 2 A), accuracy class 1 and 3.

The new CTB's connection is arranged with a "cage clamp®". UL Certification applied

### Technical Data

- Therm. nominal continuous current  $I_{cth}$ :  $1,2 \times I_N$
- Therm. nominal short-time current  $I_{th}$ :  $60 \times I_N$ , 1 sec.
- Max. operating voltage  $U_m$ : 1.2kV
- Isolation test voltage: 6 kV,  $U_{eff}$ , 50 Hz, 1 min.
- Nominal rated frequency: 50...60 Hz
- Isolation class: E
- UL-zertifiziert - Certificate Number - 20100426-E336996
- Bus bar 1: 63 x 10 mm
- Bus bar 2: 50 x 30 mm
- Round conductor: 43,7 mm
- Width: 95 mm
- Height: 114,86 mm
- Depth: 52 mm

type description	type name	type number	primary current	secondary current	VA	accuracy
CTB 61.35 200/5A CTB 2,5VA Kl.1		61.35	200	5	2,5	1
CTB 61.35 250/5A CTB 5VA Kl.1		61.35	250	5	5	1
CTB 61.35 300/5A CTB		61.35	300	5	5	1

5VA KI.1						
CTB 61.35 400/5A CTB		61.35	400	5	5	1
5VA KI.1						
CTB 61.35 500/5A CTB		61.35	500	5	5	1
5VA KI.1						
CTB 61.35 600/5A CTB		61.35	600	5	5	1
5VA KI.1						
CTB 61.35 750/5A CTB		61.35	750	5	5	1
5VA KI.1						
CTB 61.35 750/5A CTB		61.35	750	5	10	1
10VA KI.1						
CTB 61.35 800/5A CTB		61.35	800	5	5	1
5VA KI.1						
CTB 61.35 800/5A CTB		61.35	800	5	10	1
10VA KI.1						
CTB 61.35 CTB		61.35	1000	5	5	1
1000/5A 5VA KI.1						
CTB 61.35 CTB		61.35	1000	5	10	1
1000/5A 10VA KI.1						
CTB 61.35 CTB		61.35	1200	5	5	1
1200/5A 5VA KI.1						
CTB 61.35 CTB		61.35	1200	5	10	1
1200/5A 10VA KI.1						
CTB 61.35 CTB		61.35	1250	5	5	1
1250/5A 5VA KI.1						
CTB 61.35 CTB		61.35	1250	5	10	1
1250/5A 10VA KI.1						
CTB 61.35 CTB		61.35	1500	5	5	1
1500/5A 5VA KI.1						
CTB 61.35 CTB		61.35	1500	5	10	1
1500/5A 10VA KI.1						
CTB 61.35 CTB		61.35	1600	5	5	1
1600/5A 5VA KI.1						
CTB 61.35 CTB		61.35	1600	5	10	1
1600/5A 10VA KI.1						
CTB 61.35 200/1A CTB		61.35	200	1	2,5	1
2,5VA KI.1						
CTB 61.35 250/1A CTB		61.35	250	1	5	1
5VA KI.1						
CTB 61.35 300/1A CTB		61.35	300	1	5	1
5VA KI.1						
CTB 61.35 400/1A CTB		61.35	400	1	5	1

5VA KI.1

CTB 61.35 500/1A CTB	61.35	500	1	5	1
----------------------	-------	-----	---	---	---

5VA KI.1

CTB 61.35 600/1A CTB	61.35	600	1	5	1
----------------------	-------	-----	---	---	---

5VA KI.1

CTB 61.35 750/1A CTB	61.35	750	1	5	1
----------------------	-------	-----	---	---	---

5VA KI.1

CTB 61.35 750/1A CTB	61.35	750	1	10	1
----------------------	-------	-----	---	----	---

10VA KI.1

CTB 61.35 800/1A CTB	61.35	800	1	5	1
----------------------	-------	-----	---	---	---

5VA KI.1

CTB 61.35 800/1A CTB	61.35	800	1	10	1
----------------------	-------	-----	---	----	---

10VA KI.1

CTB 61.35 CTB	61.35	1000	1	5	1
---------------	-------	------	---	---	---

1000/1A 5VA KI.1

CTB 61.35 CTB	61.35	1000	1	10	1
---------------	-------	------	---	----	---

1000/1A 10VA KI.1

CTB 61.35 CTB	61.35	1200	1	5	1
---------------	-------	------	---	---	---

1200/1A 5VA KI.1

CTB 61.35 CTB	61.35	1200	1	10	1
---------------	-------	------	---	----	---

1200/1A 10VA KI.1

CTB 61.35 CTB	61.35	1250	1	5	1
---------------	-------	------	---	---	---

1250/1A 5VA KI.1

CTB 61.35 CTB	61.35	1250	1	10	1
---------------	-------	------	---	----	---

1250/1A 10VA KI.1

CTB 61.35 CTB	61.35	1500	1	5	1
---------------	-------	------	---	---	---

1500/1A 5VA KI.1

CTB 61.35 CTB	61.35	1500	1	10	1
---------------	-------	------	---	----	---

1500/1A 10VA KI.1

CTB 61.35 CTB	61.35	1600	1	5	1
---------------	-------	------	---	---	---

1600/1A 5VA KI.1

CTB 61.35 CTB	61.35	1600	1	10	1
---------------	-------	------	---	----	---

1600/1A 10VA KI.1